

	Type	Hits	Search Text	DBs
1	BRS	389	(concave with reflector) and (light adj source) and lens and (beam with angle)	USPAT; EPO; JPO; DERWENT
2	BRS	7	((concave with reflector) and (light adj source) and lens and (beam with angle) ) and 313/\$.ccls.	USPAT; EPO; JPO; DERWENT
3	BRS	19	(bright\$3 with lamp) and (concave with reflector) and lens and (beam with angle) and axis	USPAT; EPO; JPO; DERWENT
4	IS&R	6	((("5578892") or ("5917291") or ("6087775")).PN.	USPAT; EPO; JPO; DERWENT
5	BRS	11	((362/223,310,329).CCLS.) and (concave with reflector) and (light adj source) and lens and (beam with angle)	USPAT; EPO; JPO; DERWENT
6	IS&R	1389	(362/223,310,329).CCLS.	USPAT; EPO; JPO; DERWENT
7	BRS	51	((362/223,310,329).CCLS.) and (concave with reflector) and (light adj source) and lens	USPAT; EPO; JPO; DERWENT
8	BRS	40	((((362/223,310,329).CCLS.) and (concave with reflector) and (light adj source) and lens) not (((362/223,310,329).CCLS.) and (concave with reflector) and (light adj source) and lens and (beam with angle) )	USPAT; EPO; JPO; DERWENT
9	IS&R	2993	(313/110-116).CCLS.	USPAT; EPO; JPO; DERWENT
10	BRS	51	((313/110-116).CCLS.) and (concave with reflector) and (light adj source) and lens	USPAT; EPO; JPO; DERWENT
11	BRS	102922	359/\$.ccls.	USPAT; EPO; JPO; DERWENT
12	BRS	237	359/\$.ccls. and (concave with reflector) and (light adj source) and lens	USPAT; EPO; JPO; DERWENT
13	BRS	203	(359/\$.ccls. and (concave with reflector) and (light adj source) and lens) and axis	USPAT; EPO; JPO; DERWENT
14	BRS	4	((359/\$.ccls. and (concave with reflector) and (light adj source) and lens) and axis) and (ratio with (diameter with length))	USPAT; EPO; JPO; DERWENT
15	BRS	118420	reflect\$3 same (diameter or radius or radii or height or length)	USPAT; EPO; JPO; DERWENT
16	BRS	1644	(reflect\$3 same (diameter or radius or radii or height or length)) and 313/\$.ccls.	USPAT; EPO; JPO; DERWENT
17	BRS	539	((reflect\$3 same (diameter or radius or radii or height or length)) and 313/\$.ccls.) and ratio	USPAT; EPO; JPO; DERWENT
18	BRS	7561	reflect\$3 same (diameter or radius or radii or height or length) same ratio	USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
19	BRS	109	(reflect\$3 same (diameter or radius or radii or height or length) same ratio) and 313/\$.ccls.	USPAT; EPO; JPO; DERWENT
20	IS&R	2	("4792717").PN.	USPAT; EPO; JPO; DERWENT
21	BRS	0	reflector same ("diameter to length") same ratio	USPAT; EPO; JPO; DERWENT
22	BRS	0	reflector same ("diameter to length")	USPAT; EPO; JPO; DERWENT
23	BRS	4	((reflect\$3 same (diameter or radius or radii or height or length) same ratio) and 313/\$.ccls.) and (concave with reflector) and (light adj source) and lens	USPAT; EPO; JPO; DERWENT
24	BRS	7	("D209539"   "D217386"   "D282010"   "3348094"   "4276584"   "4310773"   "4792717").PN.	USPAT
25	BRS	9	4866329.URPN.	USPAT
26	BRS	270	(reflect\$3 same (diameter or radius or radii or height or length) same ratio) and 362/\$.ccls.	USPAT; EPO; JPO; DERWENT
27	BRS	256	((reflect\$3 same (diameter or radius or radii or height or length) same ratio) and 362/\$.ccls.) not ((reflect\$3 same (diameter or radius or radii or height or length) same ratio) and 313/\$.ccls.)	USPAT; EPO; JPO; DERWENT
28	BRS	180	lamp with (low adj profile)	USPAT; EPO; JPO; DERWENT
29	BRS	242	lamp and (voltage same greater same design\$ same (run or operate\$))	USPAT; EPO; JPO; DERWENT
30	BRS	12	lamp and (voltage with greater with design\$ with (run or operate\$))	USPAT; EPO; JPO; DERWENT
31	BRS	114	lamp and (lens with lenticules)	USPAT; EPO; JPO; DERWENT
32	BRS	10	(lamp and (lens with lenticules)) and 313/\$.ccls.	USPAT; EPO; JPO; DERWENT
33	BRS	0	lamp and (voltage with ((greater adj than) or (higher adj than)) with (ran or run or operates or operated))	USPAT; EPO; JPO; DERWENT
34	BRS	0	lamp and (voltage with ((greater adj than) or (higher adj than) or (more adj than)) with (ran or run or operates or	USPAT; EPO; JPO; DERWENT
35	BRS	62	(lamp with high with bright\$3) and (voltage with (run or ran or operated or operates))	USPAT; EPO; JPO; DERWENT
36	BRS	14124	lamp and (voltage with (run or ran or operated or operates))	USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
37	BRS	114055	(lamp and (voltage with (run or ran or operated or operates))) and 313/\$.ccls. or 362/\$.ccls. or 315/\$.ccls.	USPAT; EPO; JPO; DERWENT
38	BRS	3606	(lamp and (voltage with (run or ran or operated or operates))) and (313/\$.ccls. or 362/\$.ccls. or 315/\$.ccls.)	USPAT; EPO; JPO; DERWENT
39	BRS	619	(lamp and (voltage with (run or ran or operated or operates))) and 313/\$.ccls.	USPAT; EPO; JPO; DERWENT
40	BRS	0	"double ended quartz tungsten halogen tube"	USPAT; EPO; JPO; DERWENT
41	BRS	0	"double ended quartz tungsten halogen tube"	USPAT; EPO; JPO; DERWENT
42	BRS	4	double with ended with quartz with halogen with tube	USPAT; EPO; JPO; DERWENT
43	BRS	0	(double with ended with quartz with halogen with tube) and (tungsten with halogen with tube)	USPAT; EPO; JPO; DERWENT
44	BRS	485	lamp and (tungsten with halogen with tube)	USPAT; EPO; JPO; DERWENT
45	BRS	70	(lamp and (tungsten with halogen with tube)) and 313/\$.ccls.	USPAT; EPO; JPO; DERWENT
46	BRS	222	(light adj source) with (focal adj point) with reflector with lens	USPAT; EPO; JPO; DERWENT
47	BRS	104	((light adj source) with (focal adj point) with reflector with lens) and (313/\$.ccls. or 362/\$.ccls. or 315/\$.ccls.)	USPAT; EPO; JPO; DERWENT
48	BRS	49	(light adj source) with (focal adj point) with reflector with between with lens	USPAT; EPO; JPO; DERWENT
49	BRS	23	((light adj source) with (focal adj point) with reflector with between with lens) and (313/\$.ccls. or 362/\$.ccls. or 315/\$.ccls.)	USPAT; EPO; JPO; DERWENT
50	BRS	49	((light adj source) or filament) with forward with (focal adj point) with reflector	USPAT; EPO; JPO; DERWENT
51	BRS	0	lamp with run with voltage with greater with than with designed	USPAT; EPO; JPO; DERWENT
52	IS&R	2626	(315/291,307).CCLS.	USPAT; EPO; JPO; DERWENT
53	BRS	54	((315/291,307).CCLS.) and (lamp with voltage with (operates or operated or run) with higher)	USPAT; EPO; JPO; DERWENT
54	BRS	225	(lamp with voltage with (operates or operated or run) with higher)	USPAT; EPO; JPO; DERWENT
55	BRS	43	((lamp with voltage with (operates or operated or run) with higher)) and 313/\$.ccls.	USPAT; EPO; JPO; DERWENT